








**NOTES**

- CLEAN OUT EXISTING SILT TRAPS AND MAKE GOOD TO EXISTING COVERS.
- FORM NEW ACO MULTIDRAIN LINEAR DRAINS COMPLETE WITH ATEC COATED HEELGUARD GRATING IN POSITIONS SHOWN AND CONNECT TO EXISTING MANHOLES.
- TAKE UP EXISTING PAVED AREAS SHOWN HATCHED THUS: 
- 1) PRICE FOR REMOVAL OF EXISTING PAVING AND AND INVESTIGATE SUB-BASE. LAY NEW 600x600mm 50mm THK. PAVING SLABS OVER 30mm THK. SAND.
- 2) PRICE FOR TAKING UP EXISTING PAVING AND SUB-BASE AND PREPARE FOR TARMACADAM FINISH. NEW TARMACADAM TO HAVE FFL TO MATCH EXISTING. EXCAVATE FOR 100mm HARDCORE, 40mm DENSE BITUMEN BASE COURSE CONSOLIDATED, 20mm HOT ROLLED ASPHALT, TOPPED WITH PRE COATED STONE CHIPPINGS ROLLED INTO SURFACE.
- AREA 'B'
- MAKE GOOD TO EXISTING ASPHALT FINISH AND OVERLAY WITH 50mm THK. BITUMEN MACADAM BASE COURSE 40NS WITH 20mm THK. BITUMEN 10NS WEARING COURSE COMPLETE WITH GRAVEL DRESSING.

**KEY - Symbols**

-  Drain Gully
-  Drainage Pipework
-  Identified Defect
-  Manhole Chamber
-  Circular Manhole
-  Pipework Defect



REGENERATION AND NEIGHBOURHOODS DEPARTMENT  
 DIRECTOR: Declan Ogden  
 BUILDING DESIGN & CONSTRUCTION  
 Alister Smith  
 Head of Resources  
 1 Church Street  
 Hartlepool  
 TS14 4JL  
 TEL: 01462 386222 FAX: 01462 386226

Client:	
Project:	WEST VIEW PRIMARY SCHOOL
Title:	DRAINAGE

Drawn:	Scale:	Date:
AJW	1:250	
Drawing No:	DATE:	
744/76F/2001	24/11/2014	
DWG. LAST UPDATED:	DATE:	
	24/11/2014	
	TIME:	15:36

**PRELIMINARY**

THE CONTRACTOR IS RESPONSIBLE FOR CHECKING ALL DIMENSIONS AND DETAILS ON SITE PRIOR TO ERECTION, MANUFACTURE AND INSTALLATION. WHERE PRODUCTS ARE SPECIFIED BY PROPRIETARY NAME AND THE PHRASE OR LOGO APPROVED IS NOT INCLUDED, IT IS DEEMED TO BE INCLUDED. © HARTLEPOOL BOROUGH COUNCIL 2014. REPRODUCED FROM THE DRAINAGE SURVEY MAP WITH THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT RESERVED. LICENCE NO. LA0001. ALL TIMBER AND WOOD-DERIVED PRODUCTS SHOULD BE PURCHASED FROM INDEPENDENTLY VERIFIABLE, LEGAL AND SUSTAINABLE SOURCES.